

**1. Identification of Substance & Company**

**Product**

<b>Product name</b>	EZ-Chlor - Trichlor Granules
<b>Other names</b>	Trichloroisocyanuric Acid and Tetraborate Blend (Granules) Available Chlorine 81%
<b>HSNO approval</b>	HSR002683
<b>Approval description</b>	Water Treatment Chemicals (Oxidising [5.1.1]) Group Standard 2017
<b>UN number</b>	2468
<b>DG class</b>	5.1
<b>Proper Shipping Name</b>	TRICHLOROISOCYANURIC ACID, DRY
<b>Packaging group</b>	II
<b>Hazchem code</b>	1WE
<b>Uses</b>	For the control of algae and bacteria in outdoor swimming pools

**Company Details**

<b>Company</b>	<b>Poolwise Ltd</b>
<b>Physical Address</b>	93 Ireland Road, Mt Wellington, 1060, Auckland New Zealand
<b>Telephone</b>	09 527 0753
<b>Fax</b>	09 527 4189
<b>Website</b>	www.poolwise.co.nz

**Emergency Telephone Number: 0800 764 766**

**2. Hazard Identification**

**Approval**

This product has been approved under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002683, Water Treatment Chemicals (Oxidising [5.1.1]) Group Standard 2017), and is classified as follows:

**Classes**

**Hazard Statements**

5.1.1B	H270 - May intensify fire; oxidizer.
6.1D (oral)	H302 - Harmful if swallowed.
6.3A	H315 - Causes skin irritation.
8.3A	H318 - Causes serious eye damage.
6.8B	H361 - Suspected of damaging fertility or the unborn child.
9.1A	H410 - Very toxic to aquatic life with long lasting effects.
9.2D	H423 - Harmful to the soil environment.
9.3B	H432 - Toxic to terrestrial vertebrates.

**SYMBOLS**

**DANGER**



**Other Classifications**

There are no other classifications that are known to apply.



### Precautionary Statements

- P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P103 - Read label before use.  
P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P210 - Keep away from heat. No smoking.  
P220 - Keep/Store away from clothing/combustible materials.  
P221 - Take any precaution to avoid mixing with combustibles.  
P264 - Wash hands thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection\*.
- P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.  
P330 - Rinse mouth.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P332+P313 - If skin irritation occurs: Get medical advice/ attention.  
P362 - Take off contaminated clothing and wash before re-use.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTRE or doctor/physician.  
P308+P313 - IF exposed or concerned: Get medical advice/ attention.  
P391 - Collect spillage.  
P405 - Store locked up

### 3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Trichloroisocyanuric Acid	87-90-1	800g/kg
Disodium tetraborate	12045-88-4	110g/kg
Ingredients not contributing to HSNO classes	mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

### 4. First Aid

#### General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed, burned or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service). IF exposed or concerned: Get medical advice/ attention.

**Recommended first aid facilities** Ready access to running water is required. Accessible eyewash is required.

#### Exposure

<b>Swallowed</b>	IF SWALLOWED: Do not induce vomiting. Rinse mouth with water. Call a POISON CENTRE or doctor/physician.
<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.
<b>Skin contact</b>	IF ON SKIN: Brush away excess solid, wash with plenty of soap and warm water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before re-use.
<b>Inhaled</b>	If irritation occurs, contact the Poison Centre or call a doctor. Remove the source of contamination or move the victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by a trained personnel, preferably on a doctor's advice. In severe cases, symptoms may be delayed up to 48 hours after exposure.

#### Advice to Doctor

Treat symptomatically



## 5. Firefighting Measures

<b>Fire and explosion hazards:</b>	This product is an oxidiser. Oxidising materials can increase the intensity of fire. Fire decomposition products may be toxic if inhaled.
<b>Suitable extinguishing substances:</b>	Carbon dioxide, extinguishing powder, foam, fog sprays, water jets.
<b>Unsuitable extinguishing substances:</b>	None known.
<b>Products of combustion:</b>	Chlorine, chlorine compounds, oxides of nitrogen, hydrogen cyanide, carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.
<b>Protective equipment:</b>	Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.
<b>Hazchem code:</b>	1WE

## 6. Accidental Release Measures

<b>Containment</b>	If greater than 100kg is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to storm water.
<b>Emergency procedures</b>	In the event of spillage alert the fire brigade to location and give brief description of hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately).
<b>Clean-up method</b>	Use absorbent (soil, sand or other inert material). Rags are not recommended for the clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.
<b>Disposal</b>	Not applicable
<b>Precautions</b>	Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.

## 7. Storage & Handling

<b>Storage</b>	Avoid storage of harmful substances with food. Store out of reach of children. Store locked up. Store in a cool ventilated place. Containers should be kept closed in order to minimise contamination. Keep from extreme heat, sunlight and open flames. Avoid contact with incompatible substances as listed in Section 10. Location compliance certificates must be available if storing >500kg (closed), 50kg (open). Containers (and outer packaging) must bear the prescribed labelling, including the Hazchem code, UN number, flammability warning and name of contents.
<b>Handling</b>	Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements. Avoid skin and eye contact and inhalation of dust.

## 8. Exposure Controls / Personal Protective Equipment

### Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m<sup>3</sup> for respirable particulates and 10mg/m<sup>3</sup> for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds (2016)	Ingredient	WES-TWA*	WES-STEL
	Trichloroisocyanuric Acid	Data unavailable	data unavailable
	Chlorine	0.5ppm, 1.5mg/m <sup>3</sup>	1ppm, 2.9mg/m <sup>3</sup>
	Disodium tetraborate	data unavailable	data unavailable

\* These workplace exposure standards are also Prescribed Exposure Standards (PES) under the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016.

**Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

**Personal Protective Equipment**

**Eyes**



Protect eyes with goggles, safety glasses or full face mask. Avoid wearing contact lenses. Select eye protection in accordance with AS/NZS 1337.

**Skin**



Avoid any skin contact. Wear overalls, rubber boots and impervious gloves. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking.

**Respiratory**



A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with a particulate filter. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

**WES Additional Information**

Not applicable

**9. Physical & Chemical Properties**

<b>Appearance</b>	white granules or tablets
<b>Odour</b>	sharp chlorine/bleach like odour
<b>pH</b>	2.7-2.9 (1% in water)
<b>Vapour pressure</b>	negligible
<b>Viscosity</b>	no data
<b>Boiling point</b>	no data
<b>Volatile materials</b>	no data
<b>Freezing / melting point</b>	decomposes at 225°C
<b>Solubility</b>	1.2% at 25°C
<b>Specific gravity / density</b>	no data
<b>Flash point</b>	no data
<b>Danger of explosion</b>	no data
<b>Auto-ignition temperature</b>	no data
<b>Upper &amp; lower flammable limits</b>	no data
<b>Corrosiveness</b>	corrosive

**10. Stability & Reactivity**

<b>Stability</b>	Stable
<b>Conditions to be avoided</b>	Oxidising substance - keep away from sources of ignition and flammable materials (see below).
<b>Incompatible groups</b>	Reducing agents, combustible materials, flammable substances, other substances that are readily oxidised
<b>Substance Specific Incompatibility</b>	none known
<b>Hazardous decomposition products</b>	Combustion forms carbon dioxide, and if incomplete, carbon monoxide and smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. May form hydrogen chloride gas, other compounds of chlorine.
<b>Hazardous reactions</b>	none known

## 11. Toxicological Information

### Summary

IF SWALLOWED: irritation of the mouth, throat and gastrointestinal tract. Harmful if swallowed. May cause a burning sensation in the mouth and throat.

IF IN EYES: may cause stinging, reddening and watering of the eyes. Lengthy exposures or delayed treatment may cause permanent eye damage.

IF ON SKIN: may cause irritation. Symptoms may include, itchiness and reddening of the skin.

IF INHALED: dust may be irritating to the respiratory tract. Symptoms may include headaches, irritation of the nose and throat and increased secretion of mucous.

CHRONIC TOXICITY: borates may cause reproductive toxicity.

### Supporting Data

<b>Acute</b>	<b>Oral</b>	Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (oral, rat) for the mixture is >5,000 mg/kg. Data considered includes: Trichloroisocyanuric Acid 406mg/kg (rat).
	<b>Dermal</b>	No evidence of dermal toxicity.
<b>Chronic</b>	<b>Inhaled</b>	No evidence of acute inhalation toxicity. Dust may be irritating.
	<b>Eye</b>	Trichloroisocyanuric acid is considered an eye corrosive.
	<b>Skin</b>	Trichloroisocyanuric acid is considered a skin irritant.
	<b>Sensitisation</b>	No ingredient present at concentrations > 0.1% is considered a sensitizer.
	<b>Mutagenicity</b>	No ingredient present at concentrations > 0.1% is considered a mutagen.
	<b>Carcinogenicity</b>	No ingredient present at concentrations > 0.1% is considered a carcinogen.
	<b>Reproductive / Developmental</b>	The mixture is considered to be a suspected reproductive or developmental toxicant, because at least one of the ingredients present in greater than 0.1% is suspected to be a reproductive or developmental toxicant. Animal experiments have shown that ingestion of borates at high doses or over prolonged periods may affect the reproductive system in both males and females.
	<b>Systemic Aggravation of existing conditions</b>	No ingredient present at concentrations > 1% is considered a target organ toxicant. None known.

## 12. Ecological Data

### Summary

This substance is considered very toxic towards aquatic organisms, harmful in the soil environment and toxic towards terrestrial vertebrates.

### Supporting Data

<b>Aquatic</b>	Using EC <sub>50</sub> 's for ingredients, the calculated EC <sub>50</sub> for the mixture is < 1 mg/L. Data considered includes: Trichloroisocyanuric Acid LC <sub>50</sub> : 0.08mg/L (static, 96hr, rainbow trout), 0.17mg/L (static, 48hr, Daphnia magna), toxic to aquatic organisms after decomposition in water (to form chlorine). 0.05mg/L toxic to fish.
<b>Bioaccumulation</b>	Log Pow = 0.9
<b>Degradability</b>	No data
<b>Soil</b>	EPA has classified the substance as slightly harmful to the soil environment, with a soil ecotoxicity value between 10 and 100 mg/kg and a soil DT50 value of ≤ 30 days.
<b>Terrestrial vertebrate</b>	The mixture has been classified by EPA as ecotoxic to terrestrial vertebrates. Using the LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (oral, rat) for the mixture is between 50 and 500 mg/kg. Data considered includes: Trichloroisocyanuric Acid 406mg/kg (rat).
<b>Terrestrial invertebrate</b>	No evidence of toxicity towards terrestrial invertebrates.
<b>Biocidal</b>	no data
<b>Environmental effect levels</b>	No EELs are available for this mixture or ingredients

## 13. Disposal Considerations

<b>Restrictions</b>	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
<b>Disposal method</b>	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the environment.
<b>Contaminated packaging</b>	Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of



containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.

#### 14. Transport Information

##### Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for transport.

<b>UN number:</b>	2468	<b>Proper shipping name:</b>	TRICHLOROISOCYANURIC ACID, DRY
<b>Class(es)</b>	5.1	<b>Packing group:</b>	II
<b>Precautions:</b>	Oxidiser, Marine pollutant.	<b>Hazchem code:</b>	1WE

#### 15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002683, Water Treatment Chemicals (Oxidising [5.1.1]) Group Standard 2017. All ingredients appear on the NZIoC.

##### Specific Controls

Key workplace requirements are:

SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Required if > 100kg is stored.
Certified handler	Not required.
Tracking	Not required.
Bundling & secondary containment	Required if > 100kg is stored.
Signage	Required if > 100kg is stored.
Location compliance certificate	Required if > 500kg (closed), 50kg (open) is stored in any one location.
Flammable zone	Must be established if > any quantity is stored in any one location.
Fire extinguisher	If > 200kg present.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

##### Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

#### 16. Other Information

##### Abbreviations

<b>Approval Code</b>	Approval HSR002683, Water Treatment Chemicals (Oxidising [5.1.1]) Group Standard 2017 Controls, EPA. <a href="http://www.epa.govt.nz">www.epa.govt.nz</a>
<b>CAS Number</b>	Unique Chemical Abstracts Service Registry Number
<b>Ceiling</b>	Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical agent to which a worker may be exposed at any time.
<b>Controls Matrix</b>	List of default controls linking regulation numbers to Matrix code (e.g. T1, I16).
<b>EC<sub>50</sub></b>	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
<b>EPA</b>	Environmental Protection Authority (New Zealand)
<b>HAZCHEM Code</b>	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
<b>HSNO</b>	Hazardous Substances and New Organisms (Act and Regulations)
<b>IARC</b>	International Agency for Research on Cancer
<b>LEL/UEL</b>	Lower Explosive Limit/ Upper Explosive Limit
<b>LD<sub>50</sub></b>	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).



<b>LC<sub>50</sub></b>	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats)
<b>NZIoC</b>	New Zealand Inventory of Chemicals
<b>MSDS (SDS)</b>	Material Safety Data Sheet (or Safety Data Sheet)
<b>PES</b>	Prescribed Exposure Standard means a WES or a biological exposure standard that is prescribed in a regulation, a safe work instrument or an approval under HSNO (including group standards).
<b>STEL</b>	Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded
<b>TWA</b>	Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours)
<b>UN Number</b>	United Nations Number
<b>WES</b>	Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.

#### References

<b>Data</b>	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).
<b>Controls</b>	EPA notices, <a href="http://www.epa.govt.nz">www.epa.govt.nz</a> , Health and Safety at Work (Hazardous Substances) Regulations 2017, <a href="http://www.legislation.govt.nz">www.legislation.govt.nz</a>
<b>WES</b>	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – <a href="http://www.worksafe.govt.nz">www.worksafe.govt.nz</a> .
<b>Other References:</b>	Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

#### Review

<b>Date</b>	<b>Reason for review</b>
June 2018	Not applicable – new SDS

#### Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email [info@datachem.co.nz](mailto:info@datachem.co.nz) or phone: +64 9 940 30 80.

